

# **Colorful Oxford Fabric Rainbow Inflatable Arches For Event** Entrance

## **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quant
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

	GuangZhou,China
	King Inflatable
	CE ,UL,SGS,EN71,EN14960
	King-ia038
tity:	1pc
	Negotiable
	60x40x40cm by PVC bag, blower by carton
	In 7days
	T/T,L/C,Western Union ,Money Gram,Euro account, US dollar account
	300pcs/month



### **Product Specification**

• Size:

• MOQ:

- Material: Color:
- 6\*3m Oxford Fabric Any Color 1 Pc
- Double And Quadruple Sti
- Workmanship: Blower And Repair Kits

3-5 Working Days

inflatable arch rental

custom advertising inflatables,

- Accessories: • Shipping Way:
- Delivery Time:
- Highlight:

Oxford Fabric		
Any Color		
1 Pc	I	
Double And Quadruple Stitching		
Blower And Repair Kits		
By Sea,by Air Or By Express		
3-5 Working Days		



Our Product Introduction

#### Colorful Oxford fabric rainbow Inflatable arch for event entrance

- 1.Superior Quality&Compertitive Price
- 2.Excellent Design
- 3.Convenience Of Installation
- 4.Beautiful Appearance
- 5. Realiable Maufacture

#### Specifications:

Model No	King-ia038
Material	Oxford fabric
Color	Colors can be customized
Dimension	6*3M
Where used for	Event Decoration,Party Decoration,Club,Advertising,Promotional,Exhibition,Holiday,Festival etc
Logo print	Available
Warranty	2 years
Features	anti-tearing , Fir-resistent , strong and durable
Certificate	UL,CE, EN14960,EN71,SGS
Dlivery time	7-10 days
Packing	Inflatable product is packed by heavy duty PVC carry bag, Air blower is packed by exported standard carton.
payment terms	50% deposit before producing, and 50% balance before delivery
OEM/ODM	Acceptable
Accessories	Repair kit(fixing material and glue)

#### Our advantage:

1. As a reputable company in inflatable field, we have been providing our customers fastest and satisfactory answers response service, and providing the best solutions to our customers' questions regarding of inflatables or anything related.

2. As a professional supplier of inflatable products, and holding lots of professional and experienced designers in our team, we have been providing our customers best ODM & OEM service from start to finish.

3. As a experienced exporter for years, we have been providing our customers the fastest and most economical shipping service to ship goods, to save time and save money for our customers.

4.As a responsible company in the world, we have been providing our customers the best payment term, and have been striving to help our customers to optimize buying plans, and have been endeavoring to solve financing for our customers.

#### Setting up your arch

1. Take arch, stakes, rope, blower from the bag. Some blowers are internal and built into the arch itself. Instruction will note when there are difference in setup.

2. Unroll the arch. Layout the arch where you will be using it. Attach the blower to the arch inlet. Be sure the inlet is tied around the flange of the blower. (Skip this step if your arch has an internal blower). Tie the ropes to the tie-down points on the arch. There are 8 tie-down point. 4 in front and 4 in back. We only recommend using all 8 points if it will be very windy. Make sure all zippers on the bottom of the legs are zipped up and the velcro is secured. Plug the blower in. Turn the power button on ( external blowers only). Arch will inflate in approx 30-120 seconds.

3. After the arch has fully inflated, stand the arch up(easiest with 2-3 people). Place the arch where you want it to be. Take each tie-down rope and tie it to the stake ( or your own weights). Pull each rope firmly so the arch is not leaning to either side. Place each stake at a reasonable distance so the arch is being both pulled down and out. This will keep the arch in place and help it from falling down.

Adjust as necessary. Sand bags or water jugs can be placed inside each leg for added stability.(access through zippers). Additional anchors can be attached to the achor tabs on the bottom of each leg.

4. For longevity and ease of storage, when done, turn the blower off, remove the stakes/weights. Unzip the zippers so air can easily escape. Remove blower(external only). Once the arch is deflated, fold the arch in a symmetrical pattern to get it the



### Photos

