



White PVC Tarpaulin Adult Princess Bouncy Castle For Wedding 1 Years Warranty

Our Product Introduction

Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: King-ic077
- Minimum Order Quantity: 1pc
- Price: USD 500-1200 PC
- Packaging Details: PVC Tarpaulin Carry Bag
- Delivery Time: 7-15 work days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 200 pc / month



Product Specification

- Type: Castle
- Material: PVC Tarpaulin
- Size: Customized
- MOQ: 1pieces
- Usage: Outdoor Playground
- Package: PVC Tarpaulin Carry Bag
- Quality Control: ROHS EN71 SGS EN14960
- Warranty: 1 Years
- Highlight: outdoor event tent, inflatable party tent



More Images



for more products please visit us on inflatablewaterfun.com

Product Description**PVC Tarpaulin Adult bouncy castle princess white bouncy castle for wedding****Product Details:**

Adult bouncy castle princess white bouncy castle for wedding We have a variety of Inflatable Castle with different themes and design, they have a favorable price and very high quality, Different model , size , color and logo can be customized

Specification:

Product Name	Inflatable slide bouncy jumping castle
Size	Customized
System	Continuous Inflation
Color	As show in the picture or Customized
Logo	Can be printed
Material	PVC tarpaulin
MOQ	1 pcs
Free Accessories	Repair kits and packing bag
Warranty	1 year
Certificate	ROHS EN71 SGS EN14960
Payment Terms	TT , Paypal ,Western union , Moneygram
Shipping	by Sea / Air / Expres

Installation of Inflatable Product:

1. Place the equipment on a flat surface, preferably under a piece of equipment (such as carpet, plastic color of the cloth), and then expand it.
2. Find the air inlet of the equipment, connect with the air outlet of the blower or air pump, and fasten it, then tighten the air inlet with a rope.
3. Turn on the blower and the item will blow up in 5-10 minutes.

Maintenance of Equipment:

1. Cut off the power, open the interface and exhaust, exhausting in generally 10-25 minutes, the remaining gas to squeeze. If the equipment was wet by rain water, please be sure to drain water out and dry.
2. Do some cleaning. You can use the detergent to wash it, and wipe with water, and then dry in the sun.
3. Fold the device, and cover it with a tarp.
4. If long time no use it, you should keep it clean and packaged. Storage temperature is generally -50 ~ +40 degrees Celsius is appropriate.
- 5 Blower or air pump should prevent from moisture and corrosion. Inflatable items should keep away from insect.

Product Material:

Top quality material are always applied on our inflatables, and all of them are from one of the best material suppliers in China - Plato chemical; All of the materials we are applying meet EN71-2-3.

Workmanship:

All our workers are with top skill in inflatable field, all of our stitching inflatables are stitched by high precision stitching machine, we always apply double stitching anywhere in the inflatables and quadruple

stitching in positions sustaining much force and pressure from jumping. All of our airtight inflatables are made with high temperature multifunctional welding machine, which is necessary and efficient for massive airtight inflatables.

Packaging Details:

1. For the finished product, we packed with strong PVC tarpaulin(same to the products).

In order for you to find your products quickly, we make number remark of the bag, and each bag we have printed image of what packed in.

Customized: you can choose to print your logo on the package.

2. Blower or air pump are packed By PVC bag or carton which suitable for shipment, also been marked outside if the package, so that you can find them quickly and correctly.

Product show:



King Inflatables Co., Limited

+86 18620259154

kinkor@king-inflatable.com

inflatablewaterfun.com

