

0.9mm PVC Tarpaulin Inflatable Water Parks Durable Floating Water Games Equipment

Our Product Introduction


Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: King-we032
- Minimum Order Quantity: 1 pc
- Price: USD 8000-20000 pc
- Packaging Details: 18 pcs durable PVC bags- about 100x70x70cm
- Delivery Time: 7 working days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 500pcs /Month





Product Specification

- Style: Inflatable Water Park
- Material: Plato 0.9mm PVC Tarpaulin
- Dimension: 20x20m
- Color: Yellow, Red And Blue
- Feather: 18 Pcs Toys Combination
- System: Airtight By Hot Air Welding Machine
- Accessories: CE/UL Air Pump, Repair Kits
- Application: Water Games Equipments
- Highlight: **amazing inflatable water park, inflatable backyard water park**



More Images



for more products please visit us on inflatablewaterfun.com

Product Description

0.9mm PVC Tarpaulin Inflatable Water Parks Durable Floating Water Games Equipments

Specification :

Product Type	Inflatable water park
Material	Plato 0.9mm PVC Tarpaulin
Size	20x20m
Color	Yellow , red and blue
Warranty	2 years
Air pump	CE: 220V-240V UL:110V-115V
MOQ	1 set
Shipping	By sea or by air

Details :

Single product name	Quantities	Size
Hurdle	1	5.5x2 m
Climb	1	4.7x2 m
Junction	2	3.5x3.5 m
Beam	1	4.5x2 m
Base	1	3x2 m
Tunnel	1	5x2 m
Trampoline	1	4.5x4.5 m
Bed	1	6.5x3 m
Deck	1	3.5x3.5 m
Curve	1	3.7x3.7 m
Butterfly	1	5x2 m
Slide	1	2.7x2 m
Fence	1	4.2x4.2 m
Cliff	1	3.5x2 m
Swing	1	6x2 m
Slide 1	1	3x2 m

Descriptions:

1. 0.9mm PVC Tarpaulin :

Its thickness has 0.4mm , 0.45mm , 0.55mm . 0.6mm and 0.9mm , this set of water park is airtight system , we usually use 0.9mm in thickness , best quality. PVC Tarpaulin itself contains 3 layers , double sides coated with a strong net inside , it is so strong that you can't tear it off .

2. 20x20m inflatable water park : It contains 18 pieces in total. We send you 4 air pumps for free .

3. System : This Inflatable Water Park is airtight system , it means that it only needs to be inflated one time with air pump connecting electricity .

4. Warranty : This inflatable water park will be guaranteed for 2 years , in this warranty period , If there are any quality problems , we would take full responsibility for getting it re-worked , if failed , we promise to make a new one for you .

5. All our products are OEM . Different model , size , color , logo can be customized .

Applications :

This set of water park can be placed in the sea, lake or pool and can hold about 60 people . Its size and color can be changed based on original design . Even you can design the model as your ideas .

Advantages :

1. All our materials are purchased from Plato factory , Wubit special material -- Wubit 0.9mm PVC Tarpaulin , more expensive than general 0.9mm PVC Tarpaulin . We can send you some materials for your testing .

2. Welded strongly with high temperature machine and experienced workers . Besides , reinforced a extra strip on all seams , stronger and more durable .



3. Installing reducing pressure valve . When the airpressure is exceed when temperature is upto a high degree, this reducing presure valve will make the product deflated automatically , in case of the product would blast because of the exceed pressure .


4. Strong D rings and handles , it is very difficult to tear them off .

Maintanace menthod and the attentions:

1. if the product appear small damage , under 5 cm, can be repaired by glue.
2. if the damage area is larger , please select a needle to thread-stitching , then repaired by glue ; or select professional factory for maintenance.
3. clean the damage with clear water , dry with clear dishcloth , blow to dry completely.
4. use the material of the same color to repair , cutting a patches , the area size need larger than the damage area.
5. cover the damage by patches , and mark surrounding the patches.
6. glue on the patches coated with a thin layer , note is not glue as thick as possible.
7. toated with a thin layer of glue inside the loop , be carefully not to gule out the loop .
8. after a few minutes , aligning patches with the damage , stablisch .
9. in the process of paste , slightly with blower , heating , make pasting more firmly .
10. if bubbles appeared in the process of pasting , can use hair dryer heating , meanwhile , use flat thing to move out the gas.

Pictures :





King Inflatable Co.,Limited



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou, China.