# King Inflatable Co., Limited inflatablewaterfun.com

# 0.8mm PVC Inflatable Event Tent Spray Tunnel System With Disinfection **Machine**

### **Basic Information**

. Place of Origin: GuangZhou,China Brand Name: King Inflatable

CE ,UL,SGS,EN71,EN14960 · Certification:

Model Number: King-it119 • Minimum Order Quantity: 1pc

• Price: US\$600~US\$1500/PC

Heavy-Duty PVC Tarpauline for Inflatables Packaging Details:

and Carton for air blower

• Delivery Time: 7-10 days

T/T,L/C,Western Union ,Money Gram,Euro . Payment Terms:

account, US dollar account

500PCS Per month . Supply Ability:



## **Product Specification**

• Material: Plato 0.65 Mm PVC Tarpaulin, 0.8mm PVC

. System: Airtighting System White, Or Customized · Color: • Printing: Logo/banner/company Name

Accessories: Suitable Air Blower And Repair Ktis

Gurantee: 2 Years Size: Customized

Workmanship: Professional Machine For Cutting, Printing &

Sewing, To Ensure The Quality In All

Process

0.8mm PVC Inflatable Event Tent, • Highlight:

Disinfection Inflatable Event Tent, Plato Inflatable Event Tent



## More Images





## Product Description

#### Disinfection inflatable Spray Tunnel System With Disinfection Machine for sale

This inflatable tunnel was customized for the disinfection in the Coronavirus situation, suitable for commercial usages, such as the location of the market, parks, schools, etc. The inflatable tunnel is airtight with a slop shape roof, which will be waterproof and suitable for outdoor use. The disinfection machine can be chosen with different brands and performance, the cost will be different. For more details, please feel free to contact our sales, welcome to inquiry and work together!

Item Name	Disinfection inflatable Spray Tunnel System With Disinfection Machine for sale
Material	0.65 PVC tarpualin from PLATO
Applicable temperature	PVC Tarpaulin (-30°C—65°C)
Size	Customized
System	Airtight
Inflate time	within 15 minutes
Printing	Digitally printing or Silk-screen printing is available,
	HD digital printing with exported oil coated
Accessory	Air blower(220-240v / 110-120v CE /UL different plug are available)
MOQ	1 pcs
Delivery time	7-15 working days
Shipping way	all over the world by sea, by air, by express, by train
Packing	Inflatable products: 0.6mm PVC durable bags
	Air PUMP: exported standard carton
Warranty	2-3 years
Certification	CE, EN14960, SGS, ASTM, UL, TUV, EN15649
Payment item	T/T (bank wire transfer), L/C, Western Union, Money Gram, Paypal, Escrow with 50% deposit.

#### Our inflatable medical tent advantage:

- 1. We add reinforcement strips for all our tents, so the items will be more durable.
- 2. For parts like anchor rings and handles, we use the big high-frequency welding machine to weld on the products instead of glue on by hand. The parts and the main body are fused together so the quality is very stable and will not peel off.
- 3. High-temperature welding technique, or Double stitching throughout the unit with triple stitching.
- 4. Quadruple stitching in key areas inside the base of the unit.
- 5. Extra webbing reinforced strip on all the stress points and interior panels.

#### FAQ:

- Q: How to inflate an Inflatable Tent?
- A: Can inflate by an electric blower/pump included. It usually takes 3 to 30 minutes to inflate a tent depending on the design.
- Q: Can we use Inflatable Tent in winds?
- A: Yes, the tent itself is usually heavy to stand stably, we make D rings and match ropes for you to tie for more stability. You can also use sand bags or water bags to increase stability. However, please use depending on actual scene.
- Q: Can we use Inflatable Tent in rain?
- A: Yes but since the blower is connected with electricity (unless grade to Airtight style), we don't suggest long time use under heavy rain although the tent material and blower plastic case are waterproof.
- Q: Can make with our logo printings?
- A: Yes. May be for free or charged depending on quantity, printing colour and size. You may send us high resolution artwork in JPG, PDF or PSD.
- Q: What happens if the Tent punctures?
- A: Due to constant blown air, the tent can still be blown up and use as long as the damage area is not big. The damage can be repaired by sewing machine, and PVC vinyl tents can also simply be repaired by our repair kit (material patches and glue).
- Q: What about the quality control?
- A: Quality is our culture, our QC will care into every step of production process so that all products strictly complies to EN14960 and SGS Standards.

#### **Product Show:**









# King Inflatable Co.,Limited









