




King Inflatable Co., Limited
inflatablewaterfun.com



Outdoor 0.9mm PVC Tarpaulin Giant Inflatable Water Toy Custom Color Floating Slide

Our Product Introduction

for more products please visit us on inflatablewaterfun.com

Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: IF-WP(67)
- Minimum Order Quantity: 1pc
- Price: US\$1000.00 ~2600.00/ pc
- Packaging Details: PVC bags/ Carton
- Delivery Time: About 10 working days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 500pcs/month



Product Specification

- Material: 0.9mm PVC
- Color: White, Or Customized Color
- Size: As Customized
- Air Pump: 330w
- Design: Can Customize According To Clients Request
- Accessories: Blower And Repair Kits
- Highlight: **giant inflatable pool floats, inflatable pool toys for adults**



More Images



Product Description

Outdoor 0.9mm PVC Tarpaulin Giant Inflatable Water Toy Custom Color Floating Slide

Quick product data:

- 1, Description: inflatable water slide floating game
- 2, Type: water slide
- 3, Size: customized
- 4, Material: 0.9mm PVC tarpaulin, unti-riptured
- 5, Color: Customize
- 6, MOQ 1pc
- 7, Workmanship: by hot air welded.
- 8, Guarantee: with 2years warranty

Descriptions:

1. Material. We use Plato 0.65mm PVC Tarpaulin Material. Plato is the best PVC material supplier in China. So our material is great quality, Waterproof, Anti-tear, Fire-retardant, Anti-UV. So it can be used in rainy and sunny days.
2. Workmanship: We make reinforce strips at the bottom joint and each corner on the main base. The most important thing is our seams are reforced by thread strips that can withstand great force (17 kg) to avoid easily damage from tearing.
3. Packing: Inflatabes are packed by heavy-duty PVC carry Bags, and Air Blowers are packed by Exported Standard Cartons.
4. Payment terms: 50% deposit before producing, and 50% balance before delivery.
5. OEM/ODM: Accpetable, Our company have an experienced design team to meet customized needs. Your specific logo and design is accepted.
6. Accessories: Repair Kit (Fix material and Glue)

Applications:

inflatable aqua slide be widely used as summer water park, water game parks, sun cold paradise amusement water park, pool, lake and sea for outdoor use

Specifications:

Material:	0.9mm thick(32oz) durable commercial grade PVC tarpaulin
Inflated product dimensions:	Can be customized
Age recommendations:	7 years or above
Application locations:	lake and seashore
Price term:	EXW, FOB, CFR are optional
Leadtime:	10-15 days after receipt of 45% deposit
Shipment term:	by sea, by air, by express are optional
Payment term:	T/T to our company account or Western union (50% deposit, balance before shipment)
MOQ:	1PC
Accessories:	fixing kit(fixing material and glue), CE approved air pump and durable vinyl carriage bag
Remark:	it's made with excellent welding machine made in USA which has stable performance

Advantages:

- 1, strong and nice welds.
- 2, no electricity required.
- 3, full colors are available.
- 4, can print logos, banners or artworks.
- 5, durable, 5-8years usage life span.
- 6, easy assemble, move, put it away, in different occasions.
- 7, once broken, it's easy to repair, get it fixed and working again.

Technology:

- 1) Reinforcement. We make reinforcements at every weak points like welding seams, inside baffles, connerect.
- 2) Durable anchor ring. For anchor ring, we use 316 stainless steel material which last longer than other metal in water.
- 3) Durable parts. All our parts like handles, anchor rings are welded instead of glue, it's not easy to peel off.
- 4) Stable Connection System. Bouncia created originally eyelet connection system and anchor ring connection system which make the toy very stable.



King Inflatable Co., Limited



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou, China