



0.6mm - 0.9mm PVC Inflatable Event Tent

Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: CE, EN71, SGS, EN14960
- Minimum Order Quantity: 1pc
- Price: Negotiable
- Packaging Details: 160x110x110cm
- Delivery Time: In 10 days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 30pcs/month



Product Specification

- Highlight: outdoor event tent, inflatable wedding tent



More Images



Product Description

Green Square Inflatable Event Tent with 0.6mm - 0.9mm PVC Tarpaulin , Waterproof and Fire Resistant

Quick details:

- 1, Description: Airtight trade show tent
- 2, Type: tent
- 3, Size: 12x5x4.5m
- 4, Material: 0.6-0.9mm PVC tarpaulin, unti-riptured
- 5, Color: Green or Customized
- 6, Logos printing: Yes
- 7, Workmanship: hot air welded, strips inside with ropes to form the air layer.
- 8, Guarantee: with 2years warranty

Descriptions:

- 1, Water proof and fire resistant, can be used in the rainy and sunny days.
- 2, 6 valves for inflating and fast deflating, it will take about 10mins to inflate it with two pumps, within 2mins to deflate it.
- 3, Many D rings around the bottom and top as anchors with rope to tie a weigh, in case of strong wind to blow it away
- 4, Inside with hooks for hanging something, air condition cable, lights or small things, each hook for ≥ 10 kgs, top no more than 50kgs.
- 5, If under the sun, must not inflate it 100% full, because the air inside would expend to make all the joins too big pressure to stand. 90-95% full is the best. In the night, the air would become cold, and cold contract, the tent will because soft, but it's ok, it can stand it self.
- 6, Reinforced welds, inside the strips is formed by high frequency machine, fully join together with the tent

Applications:

inflatable trade show event tent can be widely used as warehouse, trade show booth etc whether temporarily or permanently, both indoor and outdoor use, rental or resell business.

Specifications:

Model number:	IF-IT(36)
Overall size:	12mL x 5mW x 4.5mH
Inside size:	10.8mL x 3.8mW x 4mH
Opening:	4 openings, customize
Color	Green, or customize
Pump voltage	110 or 220V is available



Advantages:

- 1, strong and nice welds
- 2, no electricity required
- 3, full colors are available
- 4, can print logos, banners or artworks
- 5, durable, 5-8years usage life span
- 6, cheap, max 10-20% value than a stone/steel building

- 7, safe, no injury or hurt to people
- 8, easy assemble, move, put it away, in different occasions,
- 9, once broken, it's easy to repair, get it fixed and working again.
- 10, can fix LEDs inside, it's a colorful inflatable tent, very beautiful



King Inflatable Co., Limited



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou, China