King Inflatable Co., Limited inflatablewaterfun.com

1.0mm PVC 2m Dia Inflatable Walk On Water Ball Colorful Stripe Ball For Rentals

Basic Information

. Place of Origin: GuangZhou,China . Brand Name: King Inflatable

CE ,UL,SGS,EN71,EN14960 · Certification:

Model Number: king-wt058 Minimum Order Quantity: 5 pcs • Price: negotiated

 Packaging Details: 50x40x40cm by Pvc bag and export standard

carton

• Delivery Time: 3-7 work days

• Payment Terms: T/T,L/C,Western Union ,Money Gram,Euro

account, US dollar account

. Supply Ability: 1000 pcs/month



Product Specification

· Color: Full Colors • MOQ: 5 PCS YYK Brand Zipper: 1.0mm Pvc Material: · Weight: 15kg/pc Available Logo:

. Highlight: water walking ball rental, walk on water inflatable ball



More Images



Product Description

1.0mm PVC 2m Dia Inflatable Walk On Water Ball Colorful Stripe Ball For Rentals

Specifications:

Material	1.0mm pvc or TPU from Plato company
Size	2m in diameter or customize
Color	customize
MOQ	5 pcs
Workmanship	heat sealed by hot air welding machine
logo	available
Leadtime	in 5 days after receipt of 50% deposit
Pump	CE / UL approved
Shipment terms	by sea, by air, by express
Certifications	CE,EN14960,SGS,EN71-2-3
Payment terms	T/T ,Western Union (50% deposit before production, balance before delivery)
Package	inflatable by pvc bag and air pump by carton
Warranty	2 years
MOQ	1рс
Accessories	CE/UL air pump and repair kits
Features	Water proof and fire resistance, eco-friendly,lead free, nontoxic,durable and strong.

Details:

- 1,The high durability and fire-retardant material is 1.0mm pvc from Plato chemical the best and biggest material supplier in China.
- 2 The zipper we use is YYK brand zipper which is the best in this field.
- 3 Color:transparent, transparent with colourful strips, single color, mix color and soccer water balls.
- 4 Most people would buy water balls with pool together.

Our advantages:

- 1, strong and nice welds.
- 2, no electricity required, safe and funny.
- 3, full colors are available.
- 4, can print logos, banners or artworks.
- 5, durable, 2-3years usage life span.
- 6, easy assemble, move, put it away, in different occasions.
- 7, once broken, it's easy to repair, get it fixed and working again.
- 8, lubricant for T-zip, glue and spare material.
- 9, trusted quantity and a competitive price.
- 10, fast delivery and the best customer service.

Repair Guidance:

- 1. Find out exactly where the leak is. Fill a spray bottle with a mixture of soap and water and spray it liberally on the water ball along the seams. You will notice that the solution starts to bubble up where the leak is located, so take note of the position of the hole.
- 2. Prepare the hole for patching. Dry the seam off, and make sure that it is completely deflated before attempting to patch the seam. If you have the patch kit that came with the ball, you can use the prep solution to thoroughly clean the rubber before proceeding. Rubbing alcohol also works.
- 3. Apply glue to the seam and let it dry for about 15minutes. If possible, apply some glue to the inside of the seam as well, so that it spreads out and gives an extra layer of protection when the water ball pressurizes.
- 4. Fill the water ball about halfway with air and wait another 30 minutes or so to make sure that the glue has dried completely.
- 5. Inflate the item completely and spray it again with the soap and water mixture to make sure that the hole is indeed fixed.

Attentions:

- 1. Please ensure that the players weight in it is less than 300kgs.
- 2. Please ensure the player do not take any sharps when playing in the ball.
- 3. Please use the water ball in water ground only.
- 4. Store the ball at dry place when not used, do not store it together with sharps.
- 5. Please play the ball in good weather. Suitable temperture is 20 degree to 40 degree.
- 6. weaker people with heart disease and high blood pressure are prohibited to participate in the water ball.







King Inflatable Co.,Limited



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com