

# Popular Transparent PVC Inflatable Bubble Tent With Two Doors And Vents

# **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

GuangZhou.China
0
King Inflatable
CE ,UL,SGS,EN71,EN14960
IF-IT(222)
1PC
USD 1500-2500 / PC
120x100x100cm
About 7 days
T/T,L/C,Western Union ,Money Gram,Euro account, US dollar account
150pcs/month



## **Product Specification**

- Type:
- Material: • Size:

• Structure:

• Accessories: • Weight:

## Airtight Type Transparent 0.8mm PVC

- 7m Diameter
- Double Layers
  - 2 Pc Air Pumps And Repair Kits
- About 220 Kg
- Warranty: • Highlight:

• Lead Time:

- About 7 Days
- One Year
- inflatable lawn tent bubble, transparent inflatable bubble tent



**Our Product Introduction** 

## Popular Transparent PVC Inflatable Bubble Tent With Two Doors And Vents

## Specifications:

Product	Inflatable Bubble Tent
Туре	Airtight type
Structure	Double layers
Material	Transparent 0.8mm PVC
Size	7m diameter for outer size 6m diameter for inner size 1.6m by 2m for door size
Weight	About 220 kg
Color	Transparent or option
Accessories	2 pc air pumps and repair kits
Air pump	CE:220-240V UL:110-115V , 1200W , 50HZ or 60HZ
Certificates	CE , EN71 ,ROHS , EN14960
Workmanship	Heat seal/hot welding
Lead time	About 7 days
Package	PVC bag and carton
Shipping	By express , by air or by sea
Payment	50% deposit , 50% balance before the product is shipped

### Description :

1. Transparent PVC material : Its fixed width is generally 1.2m, It has two regular thickness, 0.8mm and 1.0mm; it can be waterproof and has a very good light transmission, very good for outdoor party and exhibition

2. This tent is airtight type , you only need to inflate it one time by using 2 pcs air pump connecting electricity , then it can stay about 10 days .

**3.** Workmanship : 1) Hot welded by high frequency machine , so it is airtight type ; 2) It is double layers , there are a lot of strong ropes connecting D rings on two sides to form a air layer ; 3) Installing some D rings at the roof and the bottom of outside the tent as an anchor to fixed it to the floor , The inner also needs to install some D rings to hang LED lights ; 4) reinforce welding at the joint part

**4.** For package , we pack it in a roll and put it into a PVC bag ,2 pcs air pump are packed in the carton ; For shipping , If you only need buy one and want it urgently , shipping by express or air (only arrive at the airport) is the best choice , If you choose by express , you can get it directly at your address , it takes about 5-7 days ; If you choose by air , cheaper than by express , But you have to go to airport and pick up the goods . if you don't need it urgently and need more products, shipping by sea is best choice , moch cheaper than others .

5. For all the inflatable products (not including accessories), Our warranty time is generally 1 year. Within one year, if there is any quality problem, our factory will take the full responsibility to get it re-work, If failed, we will make a new one for you. Actually, when it is broken, it is easy to get it repaired, you only need to use the spare material and glue

6. OEM is accepted , Different sizes, colors, logo can be customized according to your needs .

### Applications:

This transparent tent is airtight type , you don't need to make it inflated , blow it up one time , then it can keep a long time , some customers buy it as a meeting , some as a party , some as a exhibition or other events . It is with a very good light transmission , you can install some LED lights inside the tent , When you open light in the evening , It looks very beautiful and nice . We believe you must like it very much . Any needs , PIs don't hesitate to contact us .

### Advantages:

- 1. Careful and best workmanship
- **2.** High quality and best after-sale service
- 3. Strong and durable material
- 4. Cheap price based on good quality
- 5. on-time delivery and safe shippment
- 6. OEM is accepted and welcome to inquire at any time
- 7. Approval CE , EN71 ,ROHS , EN14960
- 8. Very safe , no hurt to people , plastic material not steel
- ${\bf 9.} \ {\rm Easy} \ {\rm assemble}$  , connecting air pump and valve
- 10. A good light transmission ,very beautiful

## Pictures :

