



## PVC Tarpaulin Inflatable Swimming Pools 3m Diameter Various Color

Our Product Introduction

### Basic Information

- Place of Origin: GuangZhou, China
- Brand Name: King Inflatable
- Certification: CE, UL, SGS, EN71, EN14960
- Model Number: king-sp194
- Minimum Order Quantity: 1 pc
- Price: USD 250-500 pc
- Packaging Details: PVC bag : 70x50x50 cm
- Delivery Time: 5-7 days
- Payment Terms: T/T, L/C, Western Union, Money Gram, Euro account, US dollar account
- Supply Ability: 1500 pcs/month



### Product Specification

- Material: Plato 0.9mm PVC Tarpaulin
- Size: 3m Diameter Including Tube
- Color: Yellow, Blue, Red Or Others
- Printing: Any Logo Can Be Printed
- Accessories: One Air Pump And Repair Kits
- Air Pump: 110V / 220 V Or 680W
- Workmanship: Welding Well
- Warranty: In 1 Year
- Highlight: Inflatable water Pools, inflatable swimming pools for kids



for more products please visit us on [inflatablewaterfun.com](http://inflatablewaterfun.com)

## Product Description

### Various Colors Inflatable Small Swimming Pool 3 m Diameter PVC Tarpaulin

This small pool can be used for outdoor bathtub for kids play in the backyard . You also can buy many small pools from factory , and sell them at your local , it is a very good business .

#### Specifications:

Product	Inflatable Small Swimming Pool
Material	Plato 0.9mm PVC Tarpaulin
Size	3 m diameter by 0.65 m high or customized
Color	Yellow , Blue , Red or others
Printing	Any logo can be printed
Composition	a small water pool with double tubes
Weight	About 35 kg
Accessories	a air pump and repair kits (spare material and glue)
Air pump	680W CE :220-240V UL :110V-115V
Warranty	1 year
MOQ	1 piece
OEM	Yes
Workmanship	Welding well
Certificates	CE,EN14960,EN71,ROHS
Package	PVC bag : 70x50x50 cm , roll it up and put it in the bag
Shipping	By express is the best choice
Payment	TT , western union , Paypal , Moneygram (50% deposit and 50 % balance when shipment)
Application	Kids water pool games

#### Descriptions:

1. You know ,PVC Tarpaulin has 3 layers ,with double coated side with a strong net inside , It can be waterproof and fire-retardant , with CE,EN14960,SGS,EN71,ROHS certificates , good quality and durable. Its thickness is generally 0.4/0.45mm , 0.55mm , 0.6mm and 0.9mm , For inflatable swimming pool , we usually use 0.9mm , real and best material from plato .You know , best material is very important for all the inflatable products , don't worry , all the materials we use are real and best material .

2. As we know , all the water products are airtight type , so this small water pool with double pipes is also airtight product you only need to inflate it once , then it can stay about 15 days . AS they are heat sealed by high frequency machine . Don't worry , the workmanship is very good , strong sealing , what's more , reinforce a strip at the connecting place between the bottom material and the tubes , to bear a very big stress from water in the pool , besides , for the connecting side on the tube , we usually use one extra material to seal it again , to make the tube enough strong . Another is constant blowing type , you need to inflate it constantly , It is very fast to be put up and taken down , but it is for inflatable bouncy castle ,water slide and some advertising inflatable .

3. In order to keep the water in the pool clean , if you need , we also can add a piece of covering cloth over the water , when you don't use the pool , you can put the covering cloth over the water by using ropes connecting D rings on the tube , in this way , the water is still clean .

4. For Inflatable swimming pool , any sizes , shapes , colors , logo can be customized according to your needs . You know , all our products are OEM . Besides , Before the production , our designers will make a 3D design picture for your confirmation , it will be produced according to your demands , with best workmanship .

5. In order to fix the pool to the ground , we will install enough D shaped rings on the tube , you can use some strong ropes to fix it , to make it enough steady , besides , we use 0.9mm PVC Tarpaulin , the weight is very heavy , so it is very difficult to blow it away .

6. For inflate and deflate , you can find valve on the pool and connect the valve with air pump , meanwhile , connecting air pump and electricity power , turn on the power of air pump , then it can be inflated about 10 minutes ; For deflate , you only need turn off the air pump , let the air out of valve , it can be deflated about 5-8 minutes .

7. For shipping , If you only buy one piece , shipping by express is the best choice , you can get it at home about 10 days , our production time is about 5 days , the shipping time is about 5 day : If you want buy 2 pieces , shipping by sea DDP or DDU is the best choice , you also can get it at home ; If you buy more than 2 pieces , shipping by sea CIF is the best choice .

8. Generally, the round pool is better than the square pool , because the round one can bear a bigger stress from water for the water stress is balanced , so we suggest you should be choose the round pool if you don't care about the shapes .

9. If you have any needs about inflatable swimming pool , pls tell us the size , shape ,color , logo , we will offer a very

competitive price based on good quality . You are always welcome to visit our company website and our factory . We hope we can build a long term cooperation relationship with you .

**Advantage:**

1. High durability and best material
2. OEM accepted
3. Easy to get it repaired , only need spare material and glue
4. Cheap price and good quality
5. Best after-sale service
6. Double and strong stitching
7. Very strong ,safe and steady
8. long life , use 3 years at least
9. Good printing and perfect artwork
10. very fast to inflate and deflate
11. on-time delivery and safe shipment
12. Any styles , sizes , colors ,logo can be customized

**Pictures:**



**King Inflatable Co.,Limited**



+86 18620259154



kinkor@king-inflatable.com



inflatablewaterfun.com

Room 813, Building A, Jingshi Plaza, No.179 Yingbin Avenue, Huadu District, Guangzhou,China.