

Airtight Inflatable Mat Hot Air Welded 0.6mm PVC Coated Tarpaulin

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- · Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- GuangZhou,China King Inflatable CE ,UL,SGS,EN71,EN14960 king-sg0 1pc Negotiable inflatable by pvc bag and blower by cartoon about 7 days T/T,L/C,Western Union ,Money Gram,Euro account, US dollar account 100pcs/month



Product Specification

• Size: • Material:

• Pump: • Certificate:

- 20m(L)*4m(W) 0..6mm PVC Tarpaulin Hot Air Welded By Weld Machine Suitable Pump And Repair Kits
- 110-130V Or 220-240V

- Highlight:

Package:

Workmanship:

Accessories:

- CE,EN71 Inflatables By Pvc Bag And Blower By Carton
- inflatable soccer field, inflatable climbing wall



Our Product Introduction

Airtight Inflatable Mat Hot Air Welded 0.6mm PVC Coated Tarpaulin

Specifications:

Model number	king-sg
Structure	airtight,means by hot air welded ,once inflated ,can be last period of time (about 15 days) without electricity
Size	20m(L)*4m(W), is the size suitable for you ? If not ,please tell us what size do you want?
Logo and printing	available
MOQ	1 pcs
Shipping way	by sea ,by air or by express
Certificate	CE,EN71,EN19460
Payment	T/T.Western union ,Paypal
How to place the order	1 You pay 50 % deposit by T/T.Western Union or Paypal 2 When received it ,we make the design picture for you to confirm before prodcution 3 When finished ,we will take some details picture for you to confirm 4 If ok,you pay 50% balance before shipment

Descriptions:

1 Material: It is made of 0.6mm thickness pvc coated tarpaulin.All the material we use is from PLATO CHEMICAL which is the best and biggest material supplier in China.PVC tarpaulin has 3 layers,2 layers pvc with 1 layer strong net inside,waterproff,fire-retardant and high durability.

2 Size : the size is 20m(L)*4(W) ,is the size suitable for you ? if not ,it can be customized according to your requires

3 Structure: we have two different structure,one is airtight,means by hot air welded ,once inflated ,it can last period of time without electricity. other structure is sewn,means by stitching ,need blower work all the time to provide a constant air. It can be choose according to your application

4 Shipping way : If you have not transportaion agent in China,we can help you to ship.As the shipping ,by sea, by air or by express according to your requires. If you not urgent for use.we suggest by sea door to door to your house

5 Package way:you should deflated at first,when not air inside,roll it. and put in PVC bag ,Note,only dry can package,if wet,please wait for some time until dry

6 Warranty: have 2 years warranty for normal us.If there is any quality problem occured during the period of warranty.we will take fully responsibility to get it rework.If fial, we will make new one for free .but we will ask some picture to analysis to how it happened ,as the proof

Advantages:

1 The brand of the material we use is PLATO CHEMICAL which is the best and biggest material supplier in China.

2 All the items will be finished by double stitching or sealed ,and all the key areas will be reinforced

3 All the products can be customized, including material ,size ,logo ,printing ,design and so on

4 The material will be cut by machine not by hand, so we can offer you a fast delivery.

5 More than 10 years' production experience and many rich-experienced technical workers, so you can get best quality goods.

6 5000 workshop ,advanced imported machine and best quality accessories.

7 Before shipping, all the items will be texted srictly to make sure it work well.

8 Advanced auto machines and trade assurance for the goods' quality and on time shipping.

Photo

